


MEASURING FOR BETTER BASICS SOLAR SHADES

CHOOSE A MOUNT TYPE:


INSIDE MOUNT

- · Mounted within the window frame
- · Provides a clean built-in look
- Great way to leave attractive woodwork exposed
- Minimum of ³/₄" depth required for secure mount*
- If window frame isn't deep enough, please select outside mount
- *2¼" minimum depth required for flush mount



OUTSIDE MOUNT

- Great option when there is not enough depth for an inside mount
- Mounted to the wall, ceiling or molding surface surrounding the window
- Often used to make the window appear larger or to hide a less attractive window or door



STEP 1

Measure the inside width at the top of the window. This is your ordering width. We will make the necessary deductions. (approx. 1/8")

STEP 2

Measure the height at 3 locations – the left side, middle and right side. Record the largest of the 3 measurements. This is your ordering length.


Note

Roller / Solar shade fabrics will be approximately 13/8" narrower than your ordering width to allow for brackets. If concerned over resulting light gap, please select outside mount.



STEP 1

Measure the width of the area you wish to cover. If space allows we recommend adding 3-4" (1½"-2" each side) to this measurement to help eliminate light seepage. This is your ordering width and will be the overall measurement outside bracket to outside bracket



STEP 2

Measure the height of the area you wish to cover. This is your ordering length.

Note:

Your shade fabric will be 1½" narrower than the measurement you provide to allow for brackets. If you need the fabric to cover a specific width (i.e. for mounting the shade on a door), add 1½" to the desired fabric width and this will be your ordering width.

MOUNTING REQUIREMENTS

PRODUCT	MINIMUM DEPTH required for secure inside mount	MINIMUM DEPTH required for fl sh inside mount	MINIMUM SPACE required for outside mount	INSIDE MOUNT DEDUCTIONS (Bracket to Bracket)	OUTSIDE MOUNT ADDITIONS
Better Basics Solar Shade	3/4"	21/4"	21/4"	-1/8"	11/4"